Agenda: Prevention Measures Workgroup 8-20-2014

9:00	Welcome and Introductions
9:05	 Quick Review: Measure selection criteria Decisions from August 5 meeting New Measures worksheet
9:15	 Decision on Follow-up Items from August 5 meeting Colorectal Cancer Well-child/Well-adolescent visits/access to care Immunization
9:45	Continue Measures Review Nutrition/Physical Activity/Obesity Obstetrics Oral Health Safety/Accident Prevention Tobacco Cessation Utilization
10:50	Next Steps
10:55	Open Line for Comment



YES Measures To Date

Identifier (#)	Name of Measure	NQF#	Steward	Category	Data Source	Measure Description
22	Cervical Cancer Screening	0032	NCQA	Adult Screening(s)	Claims	Percentage of women 21-64 years of age who received PAP test to screen for cervical cancer. (interval every 3 years)
25	Chlamydia Screening	0033	NCQA	Adult Screening(s)	Claims	Percentage of women ages 16 to 20 that were identified as sexually active and had at least one test for Chlamydia during the measurement year
21	Breast Cancer Screening	0031	NCQA	Adult Screening(s)	Claims	The percentage of women 50–74 years of age who had a mammogram to screen for breast cancer. (interval = 1x/27 months)
28	Colorectal Cancer Screening (COL)	0034	NCQA	Adult Screening(s)	Claims	Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer.
24	Childhood Immunization Status	0038	NCQA	Immunizations	TBD (likely claims plus	Percentage of children that turned 2 years old during the measurement year and had specific vaccines by their second birthday
2	Adolescent Immunization Status (AIS)	1407	NCQA	Immunizations	TBD	Percentage of adolescents that turned 13 years old during the measurement year and had specific vaccines by their 13th birthday



MAYBE MEASURES TO DATE

Identifier (#)	Name of Measure	NQF #	Steward	Category	Data Source	Measure Description
180	Pneumonia Vaccination Status for Older Adults (PNU)	0043	NCQA	Immunizations	TBD (likely claims plus IIS)	Percentage of patients 65 years of age and older who have ever received a pneumococcal vaccine.
3	Adolescent Well- Care Visit (AWC)	NA	NCQA	Childhood:	Claims	Percentage of adolescents ages 12 to 21 that had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year
122	Well-Child Visits in the 3rd, 4th, 5th, and 6th Years of Life (W34)	1516	NCQA	Childhood:	Claims	Percentage of children ages 3 to 6 that had one or more well-child visits with a PCP during the measurement year
123	Well-Child Visits in the First 15 Months of Life (W15)	1392	NCQA	Childhood:	Claims	Percentage of children that turned 15 months old during the measurement year and had zero, one, two, three, four, five, or six or more well-child visits with a PCP during their first 15 months of life
23	Child and Adolescent Access to Primary Care Practitioners (CAP)	NA	NCQA	Childhood:	Claims	Percentage of children and adolescents ages 12 months to 19 years that had a visit with a PCP, including four separate percentages: Children ages 12 to 24 months and 25 months to 6 years who had a visit with a PCP during the measurement year Children ages 7 to 11 years and adolescents ages 12 to 19 years who had a visit with a PCP during the measurement year or the year prior to the measurement year
158	Tobacco Use: Screening and Cessation Intervention	0028	AMA- PCPI	Tobacco Cessation	Claims and Clinical Data	Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user



PARKING LOT TOPICS/MEASURES

Topic	Potential Measures
Influenza immunization	AMA-PCPI: Influenza Immunization (NQF 0041) (See #143 on worksheet)
	NCQA CAHPS Flu Shots measure (NQF 0039) (see measure #48 on worksheet)
Body Mass Index (BMI)	NCQA: Adult BMI Assessment (#5 on worksheet)
	NCQA: Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents: BMI Assessment for Children/Adolescents (#121 on worksheet)
Risky Behavior Assessment or Counseling	Risky Behavior Assessment or Counseling by Age 18 Years (NQF# 1507) (see measure #146)
Mental/ Behavioral Health- depression screening	Screening for Clinical Depression and Follow-Up Plan (NQF 418) (See measure #153) Maternal Depression Screening (NQF 1401) (See measure #156)
Adverse Childhood Trauma measure	No specific measure identified
Human Papillomavirus (HPV) Vaccine	Human Papillomavirus (HPV) Vaccine for Female Adolescents (NQF 1959) (See measure #222)

